

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SUBDUE MAXX

Design code : A9619C

Manufacturer or supplier's details

Company : Syngenta Asia Pacific Pte. Ltd

Address : No. 1 HarbourFront Avenue, #03-03 Keppel Bay Tower
Singapore 098632

Telephone : +65 6333 6400

Emergency telephone number : +60 376 283 812

Telefax : +65 6338 1256

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
metalaxyl-M (ISO)	70630-17-0	>= 20 -< 30

4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

- | | | |
|---|---|---|
| If inhaled | : | Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately. |
| In case of skin contact | : | Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required. |
| If swallowed | : | If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | : | Nonspecific
No symptoms known or expected. |
| Notes to physician | : | There is no specific antidote available.
Treat symptomatically. |

5. FIREFIGHTING MEASURES

- | | | |
|---|---|--|
| Suitable extinguishing media | : | Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray |
| Unsuitable extinguishing media | : | Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards during fire-fighting | : | As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health. |
| Specific extinguishing methods | : | Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray. |
| Special protective equipment for firefighters | : | Wear full protective clothing and self-contained breathing apparatus. |

6. ACCIDENTAL RELEASE MEASURES

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
metalaxyl-M (ISO)	70630-17-0	TWA	5 mg/m ³	Syngenta

- Engineering measures** : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.
- The extent of these protection measures depends on the actual risks in use.
- Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.

Eye protection

: No special protective equipment required.

Skin and body protection

: No special protective equipment required.
Select skin and body protection based on the physical job requirements.

Protective measures

: The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Colour

: light brown to brown

Odour

: aromatic

Odour Threshold

: No data available

pH

: 4 - 6
Concentration: 1 %
(as aqueous solution)

Melting point/range

: No data available

Boiling point/boiling range

: No data available

Flash point

: 190 °C

Method: Pensky-Martens closed cup

Evaporation rate

: No data available

Flammability (solid, gas)

: No data available

Upper explosion limit / Upper flammability limit

: No data available

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.104 g/ml (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	380 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	232 - 267 mPa.s (20 °C) 80 - 125 mPa.s (40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Surface tension	:	41.0 mN/m, 1 %
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

Information on likely routes of exposure :
Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity**Product:**

Acute oral toxicity : LD50 (Rat, female): 2,965 mg/kg
Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

Components:**metalaxyl-M (ISO):**

Acute oral toxicity : LD50 (Rat, female): 375 mg/kg
Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : No skin irritation

Components:**metalaxyl-M (ISO):**

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation

Components:**metalaxyl-M (ISO):**

Species : Rabbit
Result : Risk of serious damage to eyes.

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

Respiratory or skin sensitisation**Product:**

Test Type : Buehler Test
Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

Components:**metalaxyl-M (ISO):**

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity**Components:****metalaxyl-M (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****metalaxyl-M (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity**Components:****metalaxyl-M (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - repeated exposure**Components:****metalaxyl-M (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 25 mg/l
End point: Growth rate
Exposure time: 72 h

Components:

metalaxyl-M (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l
End point: Growth rate
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Persistence and degradability

Components:

metalaxyl-M (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 22.4 - 47.5 d
Remarks: Product is not persistent.

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

Bioaccumulative potential**Components:****metalaxyl-M (ISO):**

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (25 °C)

Mobility in soil**Components:****metalaxyl-M (ISO):**

Distribution among environmental compartments : Remarks: Metalaxyl has a range from low to very high mobility in soil depending on soil type.

Stability in soil : Dissipation time: < 50 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects**Components:****metalaxyl-M (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

14. TRANSPORT INFORMATION**International Regulations**

SUBDUE MAXX

Version 1.1 Revision Date: 15.12.2022 SDS Number: S172639728 This version replaces all previous versions.

UNRTDG

UN number : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 Packing instruction (cargo aircraft) : Not applicable
 Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 EmS Code : Not applicable
 Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions)

Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
 Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
 Regulations

SUBDUE MAXX

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	15.12.2022	S172639728	

16. OTHER INFORMATION

Revision Date : 15.12.2022
Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SG / EN