

**BRISKWAY**

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : BRISKWAY

Design code : A13703G

**Manufacturer or supplier's details**

Company : Syngenta Asia Pacific Pte. Ltd

Address : No. 1 HarbourFront Avenue, #03-03 Keppel Bay Tower  
Singapore 098632

Telephone : +65 6333 6400

Emergency telephone number : +60 376 283 812

Telefax : +65 6338 1256

**Recommended use of the chemical and restrictions on use**

Recommended use : Fungicide

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitisation : Sub-category 1B

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

---

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

Precautionary statements :

**Prevention:**  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves.

**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
azoxystrobin (ISO)	131860-33-8	>= 10 -< 20
C16-18 alcohols, ethoxylated	68439-49-6	>= 10 -< 20
difenoconazole	119446-68-3	>= 10 -< 20
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 1 -< 3

### 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

- Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,  
for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this  
container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.
- Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.
- Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
azoxystrobin (ISO)	131860-33-8	TWA	4 mg/m <sup>3</sup>	Syngenta
difenoconazole	119446-68-3	TWA	5 mg/m <sup>3</sup>	Syngenta

- Engineering measures** : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.
- The extent of these protection measures depends on the actual risks in use.
- Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

limit they must use appropriate certified respirators.  
 Suitable respiratory equipment:  
 Respirator with a half face mask  
 The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

### Hand protection

Material : Nitrile rubber  
 Break through time : > 480 min  
 Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
 Remove and wash contaminated clothing before re-use.  
 Wear as appropriate:  
 Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
 When selecting personal protective equipment, seek appropriate professional advice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid  
 Colour : light yellow to yellow  
 Odour : weak  
 Odour Threshold : No data available

**BRISKWAY**

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

---

pH : 5 - 9  
Concentration: 1 % w/v  
  
7.5 - 8.5 (20 °C)  
Concentration: 100 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup  
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.11 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : 505 °C

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : 169 - 646 mPa.s ( 20 °C)  
  
98.0 - 472 mPa.s ( 40 °C)  
  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

Surface tension : 27.9 mN/m, 20 °C  
 Particle size : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.  
 Chemical stability : Stable under normal conditions.  
 Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
 Conditions to avoid : No decomposition if used as directed.  
 Incompatible materials : None known.  
 Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Ingestion  
 Inhalation  
 Skin contact  
 Eye contact

#### Acute toxicity

##### **Product:**

Acute oral toxicity : LD50 (Mouse, male and female): 1,424 mg/kg  
 Acute inhalation toxicity : LC50 (Rat, male and female): 2.06 - < 5.17 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.  
 Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
 Assessment: The substance or mixture has no acute dermal toxicity

##### **Components:**

##### **azoxystrobin (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
 Acute inhalation toxicity : LC50 (Rat, female): 0.7 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
 Assessment: The substance or mixture has no acute dermal toxicity

**BRISKWAY**

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

---

**C16-18 alcohols, ethoxylated:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

**difenoconazole:**

Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,300 mg/m3  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation

**Components:****azoxystrobin (ISO):**

Species : Rabbit  
Result : No skin irritation

**difenoconazole:**

Species : Rabbit  
Result : No skin irritation

**Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Method : in vitro skin corrosion test  
Result : Irritating to skin.

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation



**BRISKWAY**

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

---

**Components:****azoxystrobin (ISO):**

Species : Rabbit  
Result : No eye irritation

**C16-18 alcohols, ethoxylated:**

Result : Irreversible effects on the eye

**difenoconazole:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

**Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Result : Risk of serious damage to eyes.  
Method : in vitro eye irritation test

**Respiratory or skin sensitisation****Product:**

Test Type : Buehler Test  
Species : Guinea pig  
Result : The product is a skin sensitiser, sub-category 1B.

**Components:****azoxystrobin (ISO):**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**difenoconazole:**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity****Components:****azoxystrobin (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**difenoconazole:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

### Carcinogenicity

#### Components:

##### **azoxystrobin (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

##### **difenoconazole:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### Reproductive toxicity

#### Components:

##### **azoxystrobin (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **difenoconazole:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### STOT - repeated exposure

#### Components:

##### **azoxystrobin (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **difenoconazole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.7 mg/l  
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 4.2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.1 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3.9

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

plants      mg/l  
 Exposure time: 96 h  
  
 NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.23 mg/l  
 End point: Growth rate  
 Exposure time: 96 h

### Components:

#### **azoxystrobin (ISO):**

Toxicity to fish      :    LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates      :    EC50 (Daphnia magna (Water flea)): 0.28 mg/l  
 Exposure time: 48 h  
  
 EC50 (Americamysis): 0.055 mg/l  
 Exposure time: 96 h

Toxicity to algae/aquatic plants      :    ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2 mg/l  
 Exposure time: 96 h  
  
 NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.038 mg/l  
 End point: Growth rate  
 Exposure time: 96 h  
  
 ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.301 mg/l  
 Exposure time: 96 h  
  
 NOEC (Navicula pelliculosa (Freshwater diatom)): 0.02 mg/l  
 End point: Growth rate  
 Exposure time: 96 h

M-Factor (Acute aquatic toxicity)      :    10

Toxicity to fish (Chronic toxicity)      :    NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l  
 Exposure time: 28 d  
  
 NOEC (Pimephales promelas (fathead minnow)): 0.147 mg/l  
 Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      :    NOEC (Daphnia magna (Water flea)): 0.044 mg/l  
 Exposure time: 21 d  
  
 NOEC (Americamysis): 0.0095 mg/l  
 Exposure time: 28 d

M-Factor (Chronic aquatic toxicity)      :    10

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

- Toxicity to microorganisms : IC50 (*Pseudomonas putida*): > 3.2 mg/l  
Exposure time: 6 h
- difenoconazole:**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 1.1 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.77 mg/l  
Exposure time: 48 h
- EC50 (*Americamysis*): 0.15 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (*Navicula pelliculosa* (Freshwater diatom)): 0.091 mg/l  
Exposure time: 72 h
- NOEC (*Navicula pelliculosa* (Freshwater diatom)): 0.053 mg/l  
Exposure time: 72 h
- ErC50 (*Desmodesmus subspicatus* (green algae)): 0.0876 mg/l  
Exposure time: 72 h
- EC10 (*Desmodesmus subspicatus* (green algae)): 0.015 mg/l  
End point: Growth rate  
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.0076 mg/l  
Exposure time: 34 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.0056 mg/l  
Exposure time: 21 d
- NOEC (*Americamysis*): 0.0023 mg/l  
Exposure time: 28 d
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### Persistence and degradability

#### Components:

#### **azoxystrobin (ISO):**

- Biodegradability : Result: Not readily biodegradable.
- Stability in water : Degradation half life: 214 d  
Remarks: The substance is stable in water.

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

### difenoconazole:

Biodegradability : Result: Not readily biodegradable.  
 Stability in water : Degradation half life: 1 d  
 Remarks: Product is not persistent.

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

### Bioaccumulative potential

#### Components:

#### azoxystrobin (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

#### difenoconazole:

Bioaccumulation : Remarks: High bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 4.4 (25 °C)

### Mobility in soil

#### Components:

#### azoxystrobin (ISO):

Distribution among environmental compartments : Remarks: Azoxystrobin has low to very high mobility in soil.

Stability in soil : Dissipation time: 80 d  
 Percentage dissipation: 50 % (DT50)  
 Remarks: Product is not persistent.

#### difenoconazole:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 149 - 187 d  
 Percentage dissipation: 50 % (DT50)  
 Remarks: Product is not persistent.

### Other adverse effects

#### Components:

#### azoxystrobin (ISO):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

very persistent and very bioaccumulating (vPvB).

### difenoconazole:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN AND DIFENOCONAZOLE)  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (AZOXYSTROBIN AND DIFENOCONAZOLE)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

## BRISKWAY

Version 1.0      Revision Date: 15.12.2022      SDS Number: S1479074729      This version replaces all previous versions.

N.O.S.  
(AZOXYSTROBIN AND DIFENOCONAZOLE)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) Regulations : Not applicable

## 16. OTHER INFORMATION

Revision Date : 15.12.2022  
Date format : dd.mm.yyyy

### Full text of other abbreviations

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

**BRISKWAY**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	15.12.2022	S1479074729	

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SG / EN