

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : VELISTA

Design code : A20744D

Manufacturer or supplier's details

Company : Syngenta Asia Pacific Pte. Ltd

Address : No. 1 HarbourFront Avenue, #03-03 Keppel Bay Tower
Singapore 098632

Telephone : +65 6333 6400

Emergency telephone number : +60 376 283 812

Telefax : +65 6338 1256

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

2. HAZARDS IDENTIFICATION**GHS Classification**

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Response:**
P391 Collect spillage.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

Other hazards which do not result in classification

May form combustible dust concentrations in air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
penthiopyrad (ISO)	183675-82-3	>= 50 -< 70
kaolin	1332-58-7	>= 30 -< 50
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 3 -< 10
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	>= 1 -< 10
sulfuric acid, mono-C12-18-alkyl esters, sodium salts	68955-19-1	>= 1 -< 3

4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : Fire will spread by burning with a visible flame.
As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
- Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Avoid dust formation.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
Do not create a powder cloud by using a brush or compressed air.
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

7. HANDLING AND STORAGE

- Advice on safe handling : This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion.
Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material.
Electrical equipment should be compatible with the flammability characteristics of this material. The flammability character-

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

istics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

In general personnel handling this material and all conducting equipment should be electrically earthed or grounded. Bulk bags (FIBC) used to contain this material should be Type B, Type C or Type D. Type C bags must be electrically grounded or earthed before powder is charged to or discharged from the bag. If metal or fibre drums are used to contain this material, make certain the metal parts are bonded to the filling equipment and grounded.

This material can become readily charged in most operations.

Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	PEL (long term) (Respirable dust)	2 mg/m ³	SG OEL
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	PEL (long term)	10 mg/m ³	SG OEL

Engineering measures : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hand protection
- Remarks : No special protective equipment required.
- Eye protection : No special protective equipment required.
- Skin and body protection : No special protective equipment required.
Select skin and body protection based on the physical job requirements.
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.
-

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : solid
- Colour : brown
- Odour : No data available
- Odour Threshold : No data available
- pH : 8.1
Concentration: 1 % w/v
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : May form combustible dust concentrations in air.
- Burning number : 5 (20 °C)
-

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Minimum ignition temperature : 450 °C

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

Minimum ignition energy : 10 - 30 mJ

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

Information on likely routes of exposure :
 Ingestion
 Inhalation
 Skin contact
 Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.10 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

penthiopyrad (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
 Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.669 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Acute oral toxicity : LD50 (Rat, male and female): 2,600 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit
 Result : No skin irritation

Components:

penthiopyrad (ISO):

Species : Rabbit
 Result : No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

Method : in vitro skin corrosion test
Result : Irritating to skin.

sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Species : Rabbit
Result : Irritating to skin.

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation

Components:**penthiopyrad (ISO):**

Species : Rabbit
Result : No eye irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result : Risk of serious damage to eyes.
Method : in vitro eye irritation test

sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Species : Rabbit
Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation**Product:**

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Did not cause sensitisation on laboratory animals.

Components:**penthiopyrad (ISO):**

Species : Guinea pig
Result : Does not cause skin sensitisation.

Germ cell mutagenicity**Components:****penthiopyrad (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Components:

penthiopyrad (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

kaolin:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Components:

penthiopyrad (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - repeated exposure

Components:

penthiopyrad (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

penthiopyrad (ISO):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.29 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 0.568 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.53 mg/l
Exposure time: 48 h

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 4 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.45 mg/l
End point: Growth rate
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.051 mg/l
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.471 mg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Toxicity to fish : LC50: 17 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (green algae): 20 mg/l
Exposure time: 72 h

NOEC (green algae): 3 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.11 - 0.35 mg/l
Exposure time: 34 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia (water flea)): 0.419 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (Bacteria): 680 mg/l
Exposure time: 3 h

Persistence and degradability

Components:

penthiopyrad (ISO):

Biodegradability : Result: Not readily biodegradable.

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

penthiopyrad (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 3077
- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PENTHIOPYRAD)
- Class : 9
- Packing group : III
- Labels : 9

IATA-DGR

- UN/ID No. : UN 3077

VELISTA

Version 1.0 Revision Date: 16.12.2022 SDS Number: S00031003468 This version replaces all previous versions.

Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (PENTHIOPYRAD)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PENTHIOPYRAD)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations : Not applicable

Fire Safety (Petroleum and Flammable Materials) Regulations : Not applicable

16. OTHER INFORMATION

Revision Date : 16.12.2022

Date format : dd.mm.yyyy

Full text of other abbreviations

VELISTA

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	16.12.2022	S00031003468	

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average
 SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SG / EN